



## Kvaser D-sub 9 pin 120 Ohm termination adapter



Kvaser D-sub 9 pin 120 Ohm termination adapter

EAN: 73-30130-00801-4

Kvaser D-sub 9 pin 120 Ohm termination adapter is a CAN adaptor with a 9-pin male D-Sub connector at one end and a 9-pin female D-Sub socket at the other. Between CAN High (pin 7) and CAN Low (pin 2) there is a built-in 120 Ohm CAN terminating resistor.

This adapter provides quick and easy termination to any Kvaser high-speed CAN product. The Kvaser CAN termination adapter is used when there is a need to terminate a CAN node without internal termination or when no CAN node is connected to the bus. The Kvaser D-sub 9 pin 120 Ohm termination adapter has a 9-pin male D-Sub plug connector and a 9-pin female D-Sub socket. A 120 ohm terminating resistor sits between pins 2 and 7.



## Kvaser D-sub 9 pin 120 Ohm termination adapter

TECHNICAL DATA - KVASER D-SUB 9 PIN 120 OHM TERMINATION ADAPTER	
RUGGED	N/A
STATUS	Active
HEIGHT (MM)	N/A
PC INTERFACE	Cable
ON-BOARD RX BUFFER	N/A
CERTIFICATIONS	CE,RoHS
CASING MATERIAL	N/A
NETWORK CHANNEL(S)	
GALVANIC ISOLATION	N/A
MAXIMUM BITRATE (KBPS)	N/A
SOUND	N/A
CB BOARD	No
ERROR COUNTERS READING	N/A
MINIMUM BITRATE (KBPS)	N/A
CURRENT CONSUMPTION	N/A
MSGRATE RX MAX	N/A
ERROR FRAME GENERATION	N/A
TIMESTAMP RESOLUTION (US)	N/A
CONNECTOR	DSUB 9
IP CLASS	N/A
CLOCK SYNC	N/A
ERROR FRAME DETECTION	N/A
PIN COUNT	N/A
EMBEDDED SCRIPT	No
LENGTH (MM)	N/A
DATABASE DBC SUPPORT	No

Kvaser  
Aminogatan 25 A SE 431 53 Mölndal SWEDEN  
Kvaser Europe AB  
Telephone: +46 31 886344  
Email: sales@kvaser.com  
<https://www.kvaser.com/>



## Kvaser D-sub 9 pin 120 Ohm termination adapter

API, FREE	N/A
PRODUCT GROUPS	Accessory
# OF CAN CHANNELS	0
MSGRATE TX MAX	N/A
ON-BOARD BUFFER	N/A
WIDTH (MM)	N/A
SILENT MODE	N/A
PROMOTIONAL_TEXT	9-pin male-to-female D-Sub connector with termination.
WEIGHT (G)	N/A
ON-BOARD TX BUFFER	N/A
OPERATING SYSTEM	Win XP, Linux, Win 7, Win Vista, Win 10, Win 8
API, LICENCED	None
OPERATING TEMPERATURE RANGE (C)	-30.00 to 85.00
CAN FD	No

The information herein is subject to change without notice